

It's been three months since you had your TB skin test ...

TB Skin Test

If I had a negative TB skin test the first time, why do I need another one?

After you have breathed in tuberculosis germs, it takes the body 2-12 weeks to develop the ability to show a reaction to the TB skin test. Your first test may have been done before your positive reaction developed.

Because of this, it is very important that you have another test three months after the last time you spent time with the infectious person.

If the result of the second tuberculosis skin test is negative, it is unlikely that you have TB infection.

Some people with weakened immune systems (those with HIV/AIDS, cancer, diabetes, etc.) may not develop a positive reaction *even if infected*. Let your doctor know if you have any of these conditions.

If the result of the second tuberculosis skin test is positive, this indicates a recent TB infection. You will be asked to have a chest x-ray to rule out active disease in the lungs. You then have the option of taking treatment for this infection.

Go to your doctor or the clinic for your second skin test. Remind them that you were around someone sick with TB and you need your three-month test.

If you or your doctor have any questions, please ask your public health nurse or call the health department's TB Program at (619) 692-8631 and ask for the Nurse of the Day..

Public Health Nurse: ______Phone #: _____

You may qualify for Medi-Cal benefits. People with TB infection or TB disease may also qualify for TB-Cal. To find out about your eligibility and to request an information packet and application, please call 1-858-514-6885. Collect calls are accepted.